

What is claimed is:

1. A fusible quilt batt comprising:
a non-woven fibrous web; and
a thermoplastic adhesive in the web, wherein the adhesive
provides at an elevated temperature a tackiness sufficient to attach a quilt
cover to the batt, and
allows an attached quilt cover to be removed from the batt at room
temperature.
2. A fusible quilt batt according to Claim 1, wherein after an attached quilt cover has
been removed from the batt, the adhesive provides at an elevated temperature a
tackiness sufficient to attach a quilt cover to the batt.
3. A fusible quilt batt according to Claim 1, wherein the adhesive binds the fibers of
the web.
4. The quilt batt of claim 1, wherein the adhesive remains substantially in the web
during removal of an attached quilt cover from the batt.
5. The quilt batt of claim 1, wherein the adhesive is selected from the group
consisting of an acrylic, a vinyl acrylic, a vinyl acetate, and an ethylene vinyl acetate.

6. The quilt batt of claim 1, wherein the web includes fiber selected from the group consisting of cotton, polyester, rayon, nylon and wool.
7. The quilt batt of claim 1, wherein the web includes cotton and a polyester.
8. The fusible quilt batt according to Claim 1, wherein the adhesive is Parachem AC 786 acrylic adhesive.
9. A fusible quilt batt comprising:
a non-woven fibrous web; and
a thermoplastic adhesive disposed on a surface of the web, the adhesive having a first level of tackiness as manufactured allowing the batt to be folded onto itself and unfolded without damaging the batt.
10. The fusible quilt batt according to Claim 9, wherein the adhesive has a second level of tackiness, greater than the first level, at an elevated temperature.
11. The fusible quilt batt according to Claim 10, wherein the elevated temperature is greater than the maximum temperature to which the batt is normally exposed during shipping from a manufacturing location to a retail sales location.
12. The fusible quilt batt according to Claim 10, wherein a quilt cover material may be affixed to the batt when the adhesive is at the elevated temperature.

13. The fusible quilt batt according to Claim 12, wherein a quilt cover material which has been affixed to the batt when the adhesive is at the elevated temperature may be removed from the batt at room temperature.

14. The fusible quilt batt according to Claim 13, wherein after a quilt cover material has been removed from the batt at room temperature, a quilt cover material may be affixed to the batt when the adhesive is at the elevated temperature.

15. The fusible quilt batt according to Claim 12, wherein a quilt cover material which has been affixed to the batt when the adhesive is at the elevated temperature may be removed from the batt at an elevated temperature.

16. The fusible quilt batt according to Claim 15, wherein after a quilt cover material has been removed from the batt at an elevated temperature, a quilt cover material may be affixed to the batt when the adhesive is at the elevated temperature.

17. The fusible quilt batt according to Claim 9, wherein the adhesive is Parachem AC 786 acrylic adhesive.

18. The fusible quilt batt according to Claim 9, wherein a portion of the adhesive insinuates into the web, and binds together fibers forming the web.